Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 25, October 15, 2015

For the Period October 6 to 12, 2015

Warm and relatively dry weather earlier in the week allowed many producers to return to the field. Ninety-one per cent of the 2015 crop is now combined, up from 84 per cent last week. The five-year (2010-2014) average for this time of year is 93 per cent combined, according to Saskatchewan Agriculture's weekly Crop Report.

Regionally, producers in the southwest are furthest advanced, having 96 per cent of the crop combined. Producers in the southeast have 95 per cent combined. Eighty-eight per cent of the crop is combined in the west-central and northwest regions; 87 per cent in the east-central region and 83 per cent in the northeast.

Ninety-five per cent of the durum, 93 per cent of the barley, 91 per cent of the spring wheat, 89 per cent of the canola, 85 per cent of the soybeans, 78 per cent of the chickpeas, 63 per cent of the canary seed and 61 per cent of the flax have been combined.

Rainfall this past week ranged from trace amounts to just over an inch in some areas of the province. Provincially, topsoil moisture conditions on cropland are rated as 10 per cent surplus, 84 per cent adequate, five per cent short and one per cent very short. Hay land and pasture topsoil moisture conditions are rated as four per cent surplus, 83 per cent adequate, 11 per cent short and two per cent very short.

Strong winds blew remaining swaths around and shelled out some standing crops over the weekend.

Livestock producers are indicating they have adequate amounts of hay, straw, greenfeed and feed grain for their winter feeding supplies.

One year ago

Thanks to warm and dry weather, 89 per cent of the 2014 crop had been combined. High levels of fusarium head blight damage was being reported in most of the province.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest October 12, 2015 % combined	
Winter wheat	100
Fall rye	100
Spring wheat	91
Durum	95
Oat*	84
Barley	93
Canaryseed	63
Flax	61
Canola	89
Mustard	96
Soybeans	85
Lentils	99
Peas	99
Chickpeas	78
*includes two per cent 'other'	

Harvest Progress in SK Per cent Combined All Crops	
Oct 12/15	**91**
5 year avg. (2010-2014)	93
Oct 13/14	89
Oct 14/13	97
Oct 8/12	99
Oct 10/11	99
Oct 11/10	83
10 year avg. (2005-2014)	91

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at: www.agriculture.gov.sk.ca/FeedForageListing

Farmers are busy harvesting and completing fall work.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Harvest is slowly finishing up in the southeast region as 95 per cent of the crop is now in the bin, up from 94 per cent last week. The five-year (2010-2014) average for this time of year is 92 per cent combined. Many fields remain wet and some crops such as flax are slow to dry down.

Rainfall in the region ranged from small amounts to 18 mm in the Broadview and Whitewood areas. At 437 mm, the Tantallon area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as five per cent surplus, 86 per cent adequate and nine per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 74 per cent adequate and 25 per cent short.

Strong winds on Sunday blew swaths around and shelled out some remaining standing crops. There are also reports of damaged bins and houses due to the wind. Livestock producers are indicating adequate amounts of hay, straw, greenfeed and feed grain for their winter feeding supplies. Farmers are busy finishing up harvest as weather permits and completing fall work.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Ninety-six per cent of the crop is now combined in the region, up from 92 per cent last week. The five-year (2010-2014) average for this time of year is also 96 per cent combined. Some producers are waiting for crops such as flax to dry down before they can complete harvest.

Rainfall ranged from trace amounts to 17 mm in the Gravelbourg area. At 559 mm, the Mortlach area holds the regional and provincial records for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as two per cent surplus, 86 per cent adequate, seven per cent short and five per cent very short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 78 per cent adequate, 13 per cent short and four per cent very short.

Strong winds over the weekend blew swaths around and shelled out some remaining standing crops. There are also reports of damaged bins and houses due to the wind. Livestock producers are indicating adequate amounts of hay, straw, greenfeed and feed grain for their winter feeding supplies.

Farmers are finishing up harvest, hauling bales and completing fall work.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Harvest has advanced significantly in the region thanks to warm and relatively dry weather. Eighty-seven per cent of the crop is now combined, up from 75 per cent last week. The five-year (2010-2014) average for this time of year is 91 per cent combined. Some fields remain very wet and it will be some time before producers can complete harvest.

Rainfall in the region ranged from trace amounts to 26 mm in the Lake of the Prairies area. At 443 mm, the Bradwell area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 19 per cent surplus, 77 per cent adequate, two per cent short and two per cent very short. Hay land and pasture topsoil moisture conditions are rated as 10 per cent surplus, 86 per cent adequate, three per cent short and one per cent very short.

Strong winds over the weekend blew some canola and flax swaths around and shelled out some standing crops. There are reports that some remaining cereal crops have bleached and sprouted.
Livestock producers are indicating adequate amounts of hay, straw, greenfeed and feed grain for their winter feeding supplies.

Farmers are busy harvesting as weather permits and completing fall work.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Eighty-eight per cent of the crop is now combined, up from 81 per cent last week. The five-year (2010-2014) average for this time of year is 93 per cent combined. Most producers will need at least another week or more of warm and dry weather in order to complete harvest.

Rainfall ranged from trace amounts to 26 mm in the Macklin area. At 388 mm, the Outlook area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as two per cent surplus, 95 per cent

adequate and three per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 95 per cent adequate and four per cent short.

Strong winds blew swaths around and shelled out standing crops. There are also reports of wheat heads snapping off plants due to the wind. Livestock producers are indicating adequate amounts of hay, straw, greenfeed and feed grain for their winter feeding supplies.

Farmers are busy harvesting and completing fall work.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Warm and dry weather up until the weekend allowed many producers to return to the field. Eighty-three per cent of the crop is now combined, up from 74 per cent last week. The five-year (2010-2014) average for this time of year is 94 per cent combined. Several more weeks of warm and dry weather will be needed for producers to finish up harvest.

Rainfall this past week ranged from small amounts to 26 mm in the Vonda area. At 487 mm, the Humboldt area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 43 per cent surplus and 57 per cent adequate. Hay land and pasture topsoil moisture is rated as 16 per cent surplus and 84 per cent adequate. Some fields remain very wet and some crops are slow to dry down.

Strong winds blew some canola swaths around and shelled out some remaining standing crops.
Livestock producers are indicating adequate amounts of hay, straw, greenfeed and feed grain for their winter feeding supplies.

Farmers are busy harvesting and completing fall work.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Harvest continues to quickly advance in the region as 88 per cent of the crop is now in the bin, up from 73 per cent last week. The five-year (2010-2014) average for this time of year is 94 per cent combined. Another week or more of warm and dry weather is needed for producers to complete harvest.

Rainfall in the region ranged from trace amounts to 20 mm in the North Battleford area. At 404 mm, the Duck Lake area continues to hold the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are

rated as one per cent surplus, 97 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 95 per cent adequate and five per cent short.

Strong winds shelled out some standing crops and blew some swaths around. Livestock producers are indicating adequate amounts of hay, straw, greenfeed and feed grain for their winter feeding supplies. Farmers are busy harvesting, hauling bales and working fields.

Saskatchewan Harvest Progress - October 12, 2015

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**0**	**0**	**0**	**100**	
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**0**	**0**	**0**	**100**	
Spring Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	1	1	1	97	
southwest	0	0	3	97	
east central	1	5	4	90	
west central	1	2	11	86	
northeast	0	3	5	92	
northwest	3	3	4	90	
provincial	**1**	**3**	**5**	**91**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	1	1	1	97	
southwest	1	0	2	97	
east central	1	4	3	92	
west central	3	3	10	84	
northeast	0	0	1	99	
northwest	N/A	N/A	N/A	N/A	
provincial	**5**	**5**	**5**	**85**	

Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	1	1	98	
southwest	2	2	0	96	
east central	1	2	4	93	
west central	1	4	6	89	
northeast	0	0	3	97	
northwest	2	3	2	93	
provincial	**1**	**3**	**3**	**93**	
Oats	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	0	1	0	97	2
southwest	3	13	0	83	1
east central	3	8	4	85	0
west central	5	13	3	64	15
northeast	1	4	14	81	0
northwest	2	17	4	69	8
provincial	**2**	**8**	**6**	**82**	**2**
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	15	8	0	77	
southwest	2	7	6	85	
east central	13	5	18	64	
west central	13	22	18	47	
northeast	26	25	5	44	
northwest	N/A	N/A	N/A	N/A	
provincial	**15**	**14**	**8**	**63**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	9	5	7	79	
southwest	27	6	13	54	
east central	10	22	18	50	
west central	21	7	24	48	
northeast	5	24	36	35	
northwest	25	5	5	65	
provincial	**15**	**10**	**14**	**61**	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	1	2	0	97	
southwest	1	2	0	97	
east central	1	10	2	87	
west central	1	7	1	91	
northeast	0	17	2	81	
northwest	0	13	1	86	
provincial	**1**	**9**	**1**	**89**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	1	99	
east central	0	2	9	89	
west central	8	3	10	79	
northeast	0	1	1	98	
northwest	N/A	N/A	N/A	N/A	
provincial	**1**	**1**	**2**	**96**	

Soybeans	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	5	0	4	91	
southwest	9	0	11	80	
east central	23	0	35	42	
west central	1	0	43	56	
northeast	0	4	33	63	
northwest	N/A	N/A	N/A	N/A	
provincial	**7**	**0**	**8**	**85**	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	1	99	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**0**	**0**	**1**	**99**	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	1	99	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**0**	**0**	**1**	**99**	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	17	0	8	75	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	**15**	**0**	**7**	**78**	

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall

from October 6 to October 12, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 14, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period October 6 to 12, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	1	317
	3	Enniskillen	NIL	283
	33	Moose Creek	2	333
	34	Browning	N/A	316
	61	Antler	N/A	333
	63	Moose Mountain	N/A	240.89
	64	Brock	2	241
	65	Tecumseh	N/A	226.5
1B	91	Maryfield	5	300
	122	Martin	15	390
	123	Silverwood	18	381
	124	Kingsley	18	371.01
	125 A	Chester	9	347
	125 B	Chester	6	306
	151 A	Rocanville	15	437
	154	Elcapo	14	290
	155 A	Wolseley	10	414
2A	67	Weyburn	NIL	259
	68	Brokenshell	4	227
	97	Wellington	1.5	215.5
2B	127 A	Francis	6	328
	127 B	Francis	5	259.48
	129	Bratt's Lake	1.5	228
	131 A	Baildon	NIL	336
	131 B	Baildon	NIL	284
	156 A	Indian Head	2	283
	156 B	Indian Head	12	358
	160 A	Pense	N/A	239
	161	Moose Jaw	1	307
	162	Caron	2	267.18
	191	Marquis	N/A	356
3ASE	38 A	Laurier	3	186.42
	38 B	Laurier	1	183
	39 A	The Gap	N/A	203
3ASW	10	Happy Valley	NIL	195
	12	Poplar Valley	N/A	317
	40 A	Bengough	N/A	N/A
	40 B	Bengough	NIL	295
	42	Willow Bunch	NIL	272
	43	Old Post	3	234.5
	70	Key West	N/A	25.38
	73 A	Stonehenge	NIL	384.49
	73 B	Stonehenge	NIL	367
3AN	101	Terrell	1	299
	102	Lake Johnston	1	227.65
	103	Sutton	17	425
	132 A	Hillsborough	2	558.5
	132 B	Hillsborough	2	413
	134	Shamrock	N/A	31.5
	193 A	Eyebrow	N/A	381
	193 B	Eyebrow	N/A	418
3BS	17	Val Marie	N/A	212.04
	75 A	Pinto Creek	NIL	401
	75 B	Pinto Creek	N/A	43
	76	Auvergne	N/A	284
	77	Wise Creek	NIL	245
	78	Grassy Creek	NIL	216
	105	Glenbain	NIL	300.5
	106	Whiska Creek	1	319
	107	Lac Pelletier	N/A	165
	108	Bone Creek	NIL	228
3BN	138 A	Webb	1	325.5
	138 B	Webb	4	185
	166	Excelsior	N/A	352
	167	Sask. Landing	3	308.95
	168 A	Riverside	6	260
	168 B	Riverside	2.5	210.45
	226	Victory	N/A	216
	228	Lacadena	4	241
	257	Monet	8	254.48

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	N/A	228.98
	51	Reno	N/A	197.97
	79	Arlington	N/A	219
	109 A	Carmichael	N/A	264
	109 B	Carmichael	N/A	49
	110	Piapot	N/A	172
	111	Maple Creek	N/A	199.14
4B	139	Gull Lake	N/A	270
	142	Enterprise	N/A	231
	169	Pittville	N/A	111
	231	Happyland	NIL	134
5A	183	Fertile Belt	15	432
	186	Abernethy	N/A	319
	211	Churchbridge	16	332
	213	Saltcoats	19	396
	216	Tullymet	N/A	117
	241	Calder	26	317
	243	Wallace	12	187
	244	Orkney	N/A	245
	245 A	Garry	N/A	346
	245 B	Garry	N/A	356
	245 C	Garry	16	352
	246	Ituna Bon Accord	N/A	363
	247	Kellross	6	374
	248	Touchwood	7	343.99
5B	271	Cote	23	313
	273	Sliding Hills	N/A	269
	277	Emerald	19	355
	305	Invermay	NIL	334.5
	307	Elfros	15	357
	308 A	Big Quill	4	320
	308 B	Big Quill	4	309.5
	331	Livingston	9	208
	336	Sasman	4	329
	337	Lakeview	5	428
	338	Lakeside	5	389
	366	Kelvington	4	394
	367	Ponass Lake	N/A	373
6A	190 A	Dufferin	8	436
	190 B	Dufferin	3	372
	190 C	Dufferin	3	302
	190 D	Dufferin	4	242
	219 A	Longlaketon	N/A	369
	219 B	Longlaketon	1	383
	220	Mckillop	3	361
	221	Sarnia	3.79	340.04
	222	Craik	4	429.5
	251	Big Arm	5	301.75
	252	Arm River	N/A	367
	279	Mount Hope	5	306.5
	282	McCraney	5	341
	312	Morris	5	326
	313	Lost River	N/A	321
	339	Leroy	3.59	358.91
	340	Wolverine	1	404
	341	Viscount	N/A	438
	343 A	Blucher	4.5	443.39
	343 B	Blucher	N/A	160
6B	223	Huron	N/A	331
	284	Rudy	8	388
	285	Fertile Valley	8	341
	286	Milden	7	358
	314	Dundurn	6	349
	344	Corman Park	14	263
	346	Perdue	6	269
	376	Eagle Creek	10	296
	403	Rosthern	3	313

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	6	352
	288	Pleasant Valley	6	298
	290 A	Kindersley	12.5	218.06
	290 B	Kindersley	13	198.04
	290 C	Kindersley	12	119
	292	Milton	N/A	189
	317 A	Marriott	N/A	210
	317 B	Marriott	11	294
	318	Mountain View	14	296
	320 A	Oakdale	12	250
	320 B	Oakdale	16	223
	321	Prairiedale	18	299.5
7B	347	Biggar	12	276
	350 A	Mariposa	20	256.82
	350 B	Mariposa	12	218
	351	Progress	13	236
	352	Heart's Hill	18	274
	377	Glenside	10	293
	378 B	Rosemount	17	300
	379	Reford	15	263
	381	Grass Lake	N/A	191.5
	382	Eye Hill	25.6	226.26
	409	Buffalo	18	245
	410	Round Valley	15	256.01
8A	395	Porcupine	2	422
	397	Barrier Valley	8	373.38
	428	Star City	6	439
	456	Arborfield	7	414
	457	Connaught	N/A	421.99
	486	Moose Range	3	411
	487	Nipawin	N/A	497
8B	369	St. Peter	N/A	338
	370 A	Humboldt	3	487
	370 B	Humboldt	N/A	440
	371	Bayne	5	386
	372	Grant	26	422.59
	400	Three Lakes	3	424
	402	Fish Creek	2	336
	429	Flett's Springs	2	432
	459	Kinistino	4	447
	460	Birch Hills	4.19	352.45
9AE	488	Torch River	2	336
	520	Paddockwood	N/A	354
	521	Lakeland	N/A	354
9AW	406	Mayfield	7	235
	435	Redberry	3	375
	436	Douglas	3	327
	463	Duck Lake	5	403.5
	467 A	Round Hill	7	268
	467 B	Round Hill	10	287
9B	438	Battle River	20	274
	440	Hillsdale	12	266.5
	442	Manitou Lake	13.3	246.52
	498 A	Parkdale	10	326.09
	498 B	Parkdale	9	264
	499 A	Mervin	12	286.98
	499 B	Mervin	N/A	61.94
	501 A	Frenchman Butte	13	296
	501 B	Frenchman Butte	15	265
	501 C	Frenchman Butte	0	295
	502	Britannia	14	185.5
	561	Loon Lake	13	353
	588 A	Meadow Lake	5	325
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	9	303
	622	Beaver River	N/A	236.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall

from April 1 to October 12, 2015



© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

October 12, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13. Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 14, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

October 12, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 14, 2015

© 2015 Government of Saskatchewan